





DUAL COMPRESSION MOUNTS PH



Moulding Innovation into Global Bonds



PART NO	AXIAL LOAD (Kg)	DEFL. (mm)	DIMENSIONS (mm)							
			ØA	ØB	ØC	D	ØE	F	H	
PH-1	A	30	1.3	33.3	10.3	15	31.8	20.1	12.3	34
PH-1	B	41	1.3	33.3	10.3	15	31.8	20.1	12.3	34
PH-1	C	64	1.3	33.3	10.3	13	31.8	20.1	12.3	34
PH-1	D	113	1.3	33.3	10.3	15	31.8	20.1	12.3	34
PH-2	B	80	1.8	47.8	13.5	19	49.3	32.5	20.4	49.5
PH-2	C	109	1.8	47.8	13.5	19	49.3	32.5	20.4	49.5
PH-2	D	172	1.8	47.8	13.5	19	49.3	32.5	20.4	49.5
PH-3	B	135	2.2	64.8	16.7	24.6	61.7	40.1	22.9	63.8
PH-3	C	181	2.2	64.8	16.7	24.6	61.7	40.1	22.9	63.8
PH-3	D	226	2.2	64.8	16.7	24.6	61.7	40.1	22.9	63.8
PH-3	E	328	2.2	64.8	16.7	24.6	61.7	40.1	22.9	63.8
PH-4	A	122	2.5	89	23.8	35	73.4	57	26	77.5
PH-4	B	321	2.5	89	23.8	35	73.4	57	26	77.5
PH-4	C	350	2.5	89	23.8	35	73.4	57	26	77.5
PH-4	D	531	2.5	89	23.8	35	73.4	57	26	77.5
PH-5	A	725	2.3	124	27	37.8	85.9	64.8	31.8	85.9
PH-5	B	1000	2.3	124	27	37.8	85.9	64.8	31.8	85.9
PH-5	C	1280	2.3	124	27	37.8	85.9	64.8	31.8	85.9
PH-5	D	1565	2.3	124	27	37.8	85.9	64.8	31.8	85.9

